

WONSA

world of no sexual abuse

35'

Vem är patienten?

Vad behöver vårdgivaren kunna?

Forskningsläget

Vad kan vi göra?

Vad händer om vi inte gör det?

Frågor!

Vem är patient?

90 % kvinnor, 90 % vuxna, **90 % CSA** (55 % 0-5 år)

70 % incest

Medelduration 7,6 år
Medel tid för berättande 11,5 years

80 % försökt få hjälp tidigare

Hög sjukdomsbörda

Vad behöver vårdgivaren kunna?

SKADEUTVECKLING

SYMTOM

DIAGNOS

BEHANDLING

W-SAC

Wonsa Sexual Abuse Classification

Sexual abuse type (S)

o= do not recall or know

S1: Type

- Type 1: Non-contact abuse
- Type 2: Contact abuse
- Type 3: Penetrative attempt**
- Type 4: Penetrative abuse**



S2: Age at onset

- A: Child (0-12)**
- B: Youth (13-17)
- C: Adult (18+)



S3: Duration/frequency

So Single occasion abuse

S10: Repeated abuse*



Abuser characteristics (A)

o= do not recall or know

R1: Relation

- R10: Family**
- R11: Other dependency**
- R12: Intimate partner
- R13: Known
- R14: Unknown



R2: Age at onset

- R20: Child (0-12)**
- R21: Youth (13-17)
- R22: Adult (18+)

R3: Sex

- A30: Man****
- A31: Woman****
- A32: Non-binary****
- A33: Other**

Specific Contexts (C)

o= do not recall or know

C1: More than one abuser at the same time

C2: Through communication channel

C3: Child marriage

C4: Disability of the victim

C5: Severe psychological violence

C6: Severe physical violence

C7: Passive witnesses or bystanders

C8: Unconsciousness during the abuse

C9: Documentation

C10: Transactional sex

C20: Organized abuse

C30: Pregnancy due to abuse

C40: Torture during the abuse

C50: War or conflict zone

C60: Location

C70: No prior sexual experience

C80: Other

Subcategories

Sexual abuse type (S)

S1 Type of sexual abuse

Type 3-4

S1.1 vaginal

S1.2 oral

S1.3 anal

S2: Age at onset

B: Child (0-12)

Bo: 0-1

B1: >1-2

B2: >2-5

B3: 6-9

B4: 10-12

S3: Frequency

Repeated, same abuser

S10: 2-4 occasions

S11: 5-10 occasions

S12: >10 occasions

Repeated, different abusers

S20: 2-4 occasions

S21: 5-10 occasions

S22: >10 occasions

Repeated, same and different abusers

S30: 2-4 occasions

S31: 5-10 occasions

S32: > 10 occasions

S4: Duration

S40: 1- 2 years

S41: >2-5 years

S42: >5-10 years

S43: > 10 years

S43: > 20 years

Abuser characteristics (A)

R1: Relation

R10: Family

R10.0: Biological father

R10.1: Step father or likewise

R10.2: Biological mother

R10.3 Stepmother or likewise

R10.4: Biological Brother

R10.5: Stepbrother or likewise

R10.6: Biological sister

R10.7: Stepsister or likewise

R11: Other dependency

R11.1 Clergy or likewise

R11.2 Close relative or likewise

R11.3 Close friend or likewise

R11.4 Teacher or likewise

R11.5 Colleague or likewise

R2. Age of onset

R20 Child

R20.1: 0-2

R20.2: 3-5

R20.3: 6-9

R20.4: 10-12

R3: Sex

A30.1: Man, opposite sex

A30.2: Man, same sex

A31.0: Woman opposite sex

A31.2: Woman, same sex

Other:

Complicating factors(C)

With elements of:

C5: Severe psychological violence

C5.1 Humiliation

C5.2 Death threats to self

C5.3 Death threats to important ones

C5.4 Spiritual/religious threats

C5.5 Forced to harm others

C5.6 Forced to watch others being harmed or killed

C8: Unconsciousness during the abuse

C8.1 Unconsciousness by forced drug use

C8.2 Unconsciousness by voluntary intake of drugs or alcohol

C83. Abuse during sleep

C9: Documentation

C9.1 Documentation for private use

C9.2 Slut shaming and likewise

C9.3 Documentation for commercial use

C20: Organized abuse

C20.1 Organized abuse through criminal networks or likewise

C20.2 Ritual abuse organized in groups or fellowships or likewise

Hur kan vi förstå skadeutvecklingen?

The alphabet of sexual abuse

Ångest

A: abandonment
B: betrayal



Anknytning
Affektreglering

C: confusion

Kontroll, Agency, spegelneuron, affektreglering

D: disgust & shame

Ovärdighet, depression, självmordsförsök

E: elimination of borders

Gränser, relationer, arbete, kropp, affektreglering

F: fear


PTSD, Dissociation, Affekreglering

G: guilt

Självhat, bestraffning/självskada

SAIS

Sexual Abuse Injury Syndrome



*Ellert Nijenhuis, Onno van der Hart, & Kathy Steele
** Vad der Kolk and others

Så vad kan vi göra?

Trodd & Trygg
Återupprätta gränser
Läka skadorna (SAIS)

LOWER AROUSAL &
ANCHOR AND INTEGRATE MEMORIES...



Karolinska
Institutet

Vad händer annars?

RE-TRAUMATISERING

1. Känna igen och våga fråga - alla
2. Erbjuda behandling och förebyggande program - sjukvården
3. Fortsätta forska - specialistkliniker



We can eliminate
the aftermath
of sexual abuse

LET'S GET TO WORK